Appendix III

Bibliography of Published Literature

NOTE: Copies of these articles ARE INCLUDED in this submission.
They are in the same order as listed here.
See Book 2 of 3 for 1 thru 47 and Book 3 of 3 for 48 thru 88.

1. Ann Laskey, M and Prentice, A: Do appendicular bone measurements reflect changes in the axial skeleton? The use of dual-energy x-ray absorptiometry and ultrasound measurements during lactation. Journal of Clinical Densitometry. 7:296-301, 2004.

2. Andrew, T, Mak, YT, Reed, P, MacGregor, AJ and Spector, TD: Linkage and association for bone mineral density and heel ultrasound measurements with a simple tandem repeat polymorphism near the osteocalcin gene in female dizygotic twins. Osteoporosis International. 13:745-754, 2002.

3. Arden, NK, Keen, RW, Lanchbury, JS and Spector, TD: Polymorphisms of the vitamin D receptor gene do not predict quantitative ultrasound of the calcaneus or hip axis length. Osteoporosis International. 6:334-337, 1996.

4. Aspray, TJ, Francis, RM, Thompson, A, Quilliam, SJ, Rawlings, DJ and Tyrer, SP: Comparison of ultrasound measurements at the heel between adults with mental retardation and control subjects. Bone. 22:665-668, 1998.

5. Barr, RJ, Stwart, A, Torgerson, DJ, Seymour, DG and Reid, DM: Screening elderly women for risk of future fractures--Participation rates and impact on incidence of falls and fractures. Calcified Tissue International. 76:243-248, 2005.

6. Bayer, M and Kutilek, S: Ultrasound transmission through the os calcis in children: Which side should we measure? Calcified Tissue International. 61:441-442, 1997.

7. Bennell, KL, Hart, P, Nattrass, C and Wark, JD: Acute and subacute changes in the ultrasound measurements of the calcaneus following intense exercise. Calcified Tissue International. 63:505-509, 1998.

8. Bernaards, CM, Twisk, JWR, Snel, J, van Mechelen, W, Lips, P and Kemper, HCG: Smoking and quantitative ultrasound parameters in the calcaneus in 36-year-old men and women. Osteoporosis International. 15:735-741, 2004.

9. Brooke-Wavell, K, Jones, PRM, Hardman, AE, Tsuritani, I and Yamada, Y: Commencing, continuing and stopping brisk walking: Effects on bone mineral density, quantitative ultrasound of bone and markers of bone metabolism in postmenopausal women. Osteoporosis International. 12:581-587, 2001.

10. Burston, B, McNally, DS and Nicholson, HD: Determination of a standard site for the measurement of bone mineral density of the human calcaneus. Journal of Anatomy. 193:449-456, 1998.

11. Daly, RM Rich, PA and Klein, R: Influence of high impact loading on ultrasound bone measurements in children: A cross-sectional report. Calcified Tissue International. 60:401-404, 1997.

12. De Hart, R and Gonzalez, EH: Osteoporosis: Point-of-Care testing. Annals of Pharmacotherapy. 38:473-481, 2004.

13. Dhonukshe-Rutten, RAM, Pluijm, SMF, de Groot, LCPGM, Lips, P, Smit, JH and Van Staveren, WA: Homocysteine and vitamin B_{12} status relate to bone turnover markers, broadband ultrasound attenuation, and fractures in healthy elderly people. Journal of Bone and Mineral Research. 20:921-929, 2005.

14. Dolan, AL, Arden, NK, Grahame, R and Spector, TD: Assessment of bone in Ehlers Danlos Syndrome by ultrasound and densitometry. Annals of Rheumatic Diseases. 57:630-633, 1998.

15. Drysdale, IP, Hinkley, HJ, Shale, M, Bird, D and Walters, NJ: Bilateral variation in calcaneal broadband ultrasound attenuation—Part II: As measured by three bone densitometers employing ultrasound or x-ray. Journal of Clinical Densitometry. 4:337-341, 2001.

16. Etheringon, J, Keeling, J, Bramley, R, Swamnathan, R, McCurdie, I and Spector, TD: The effects of 10 weeks military training on heel ultrasound and bone turnover. Calcified Tissue International. 64:389-393, 1999.

17. Falcini, F, Bindi, G, Ermini, M, Galluzzi, F, Poggi, G, Rossi, S, Masi, Cimaz, R and Brandi, ML: Comparison of quantitative calcaneal ultrasound and dual energy x-ray absorptiometry in the evaluation of osteoporotic risk in children with chronic rheumatic diseases. Calcified Tissue International. 67:19-23, 2000.

18. Garcia, AR, Perez, CDM, Diaz, MV, Pena, GM and Gutierrez, JB: Bone ultrasound in healthy women and bone mass related factors. Medicina Clinica. 113:285-289, 1999.

19. Gluer, CC, Jergas, M and Hans, D: Peripheral measurement techniques for the assessment of osteoporosis. Seminars in Nuclear Medicine. 27:229-247, 1997.

20. Gonnelli, S and Cepollaro, C: The use of ultrasound in the assessment of bone status. Journal of Endocrinologic Investigation. 25:389-397, 2002.

21. Graafmans, WC, Bouter, LM and Lips, P: The influence of physical activity and fractures on ultrasound parameters in elderly people. Osteoporosis International. 8:449-454, 1998.

22. Graafmans, WC, Lingen, AV, Ooms, ME, Bezemer, PD and Lips, P: Ultrasound measurements in the calcaneus: Precision and its relation with bone mineral density of the heel, hip, and lumbar spine. Bone. 19:97-100, 1996.

23. Greenfield, DM and Eastell, R: Risk factors for ankle fracture. Osteoporosis International. 12:97-103, 2001.

24. Greenspan, SL, Bouxsein, ML, Melton, ME, Kolodny, AH, Clair, JH, Delucca, PT, Stek, M, Faulkner, KG and Orwoll, ES: Precision and discriminatory ability of calcaneal bone assessment technologies. Journal of Bone and Mineral Research. 12:1303-1313, 1997.

25. Hausler, KD, Rich, PA and Barry, EB: Water bath and contact methods in ultrasonic evaluation of bone. Calcified Tissue International. 61:26-29, 1977.

26. Hausler, KD, Rich, PA, Smith, PC and Barry, EB: Relationship between static histomorphometry and ultrasound in the human calcaneus. Calcified Tissue International. 64:477-480, 1999.

27. Hodgskinson, R, Njeh, CF, Currey, JD and Langton, CM: The ability of ultrasound velocity to predict the stiffness of cancellous bone in vitro. Bone. 21:183-190, 1997.

28. Howard, GM, Nguyen, TV, Harris, M, Kelly, PJ and Eisman, JA: Genetic and enviornmental contributions to the association between quantitative ultrasound and bone mineral density measurements: A twin study. Journal of Bone and Mineral Research. 13:1318-1327, 1998.

29. Howard, GM, Nguyen, TV, Pocock, NA, Kelly, PJ and Eisman, JA: Influence of handedness on calcaneal ultrasound: Implications for assessment of osteoporosis and study design. Osteoporosis International. 7:190-194, 1997.

30. Hunter, D, Major, P, Arden, N, Swaminathan, R, Andrew, T, MacGregor, AJ, Keen, R, Snieder, H and Spector, TD: A randomized controlled trial of vitamin D supplementation on preventing postmenopausal bone loss and modifying bone metabolism using identical twin pairs. Journal of Bone and Mineral Research. 15:2276-2283, 2000.

31. Ingle, BM and Eastell, R: Site-specific bone measurements in patients with ankle fracture. Osteoporosis International. 13:342-347, 2002.

32. Ingle, BM, Hay, SM, Bottjer, HM and Eastell, R: Changes in bone mass and bone turnover following ankle fracture. Osteoporosis International. 10:408-415, 1999.

33. Ingle, BM, Thomas, WEG and Eastell, R: Differential effects of primary hyperparathyroidism on ultrasound properties of bone. Osteoporosis International. 13:572-578, 2002.

34. Jakes, RW, Khaw, KT, Day, NE, Bingham, S, Welch, A, Oakes, S, Luben, R, Dalzell, N, Reeve, J and Wareham, NJ: Patterns of physical activity and ultrasound attenuation by heel bone among Norfolk cohort of European Prospective Investigation of Cancer (EPIC Norfolk): population based study. British Medical Journal. 322:140-144, 2001.

35. Jawed, S, Horton, B and Masud, T: Quantitative heel ultrasound variable in powerlifters and controls. British Journal of Sports Medicine. 35:274-275, 2001.

36. Johansen, A and Stone, MD: The effect of ankle oedema on bone ultrasound assessment at the heel. Osteoporosis International. 7:44-47, 1997.

37. Keen, RW, Snieder, H, Molloy, H, Daniels, J, Chiano, M, Gibson, Fairbairn, L, Smith, P, MacGregor, AJ, Gewert, D and Spector, TD: Evidence of association and linkage disequilibrium between a novel polymorphism in the transforming growth factor □ 1 gene and hip bone mineral density: a study of female twins. Rheumatology. 40:48-54, 2001.

38. Khaw, KT, Reeve, J, Luben, R, Bingham, S, Welch, A, Wareham, N Oakes, S and Day, N: Prediction of total and hip fracture risk in men and women by quantitative ultrasound of the calcaneus: EPIC-Norfolk prospective population study. Lancet. 363:197-202, 2004.

39. Knapp, KM, Andrew, T, MacGregor, AJ, Blake, GM, Fogelman, I and Spector, TD: An investigation of unique and shared gene effects on speed of sound and bone density using axial transmission quantitative ultrasound and DXA in twins. Journal of Bone and Mineral Research. 18:1525-1530, 2003.

40. Langton, CM and Langton, DK: Male and female normative data for ultrasound measurement of the calcaneus within the UK adult population. British Journal of Radiology. 70:580-585, 1997.

41. Langton, CM and Langton, DK: Comparison of bone mineral density and quantitative ultrasound of the calcaneus: Site-matched correlation and discrimination of axial BMD status. British Journal of

Radiology. 73:31-35, 2000.

42. Langton, CM and Njeh, CF: Sound-tissue interaction—The physical basis of bone ultrasonometry and limitations of existing methods. Journal of Clinical Densitometry. 1:295-301, 1998.

43. Langton, CM, Njeh, CF, Hodgskinson, R and Currey, JD: Prediction of mechanical properties of the human calcaneus by broadband ultrasonic attentuation. Bone. 18:495-501, 1996.

44. Martin, JC, Campbell, MK, Reid, DM: A comparison of radial peripheral quantitative computed tomography, calcaneal ultrasound, and axial dual energy x-ray absorptiometry measurements in women aged 45-55 yr. Journal of Clinical Densitometry. 2:265-273, 1999.

45. Martin, JC, Munro, R, Campbell, MK and Reid, DM: Effects of disease and corticosteroids on appendicular bone mass in postmenopausal women with rheumatoid arthritis: Comparison with axial measurements. British Journal of Rheumatology. 36:43-49, 1997.

46. Martin, JC and Reid, DM: Appendicular measurements in screening women for low axial bone mineral density. British Journal of Radiology. 69:234-240, 1996.

47. McCloskey, E, Selby, P, De Takats, D, Bernard, J, Davies, M, Robinson, J, Francis, RR, Adams, J, Pande, K, Beneton, M, Jalava, T, Loyttyniemi, E and Kanis, JA: Effects of Clodronate on vertebral fracture risk in osteoporosis: A 1-year interim analysis. Bone. 28:310-315, 2001.

48. McCloskey, E, Selby, P, Davies, M, Robinson, J, Francis, RM, Adams, J, Dayan, K, Beneton, M, Jalava, T, Pylkkanen, J, Aropuu, S and Kanis, JA: Clodronate reduces vertebral fracture risk in women with postmenopausal or secondary osteoporosis: Results of a double-blind, placebo-controlled 3-year study. Journal of Bone and Mineral Research. 19:728-736, 2004.

49. Miller, CG: Methodology for the clinical assessment of medical instrumentation—Evaluating ultrasonometers. Journal of Clinical Densitometry. 1:309-316, 1998.

50. Mughal, MZ, Langton, CM, Utretch, G, Morrison, J and Specker, BL: Comparison between broad-band ultrasound attenuation of the calcaneum and total body bone mineral density in children. Acta Paediatrics. 85:663-665, 1996.

51. Mughal, MZ, Ward, K, Qayyum, N and Langton, CM: Assessment of bone status using the contact ultrasound bone analyzer. Archives of Diseases in Childhood. 76:535-536, 1997.

52. Mulherin, D, Williams, S, Smith, JA, Edwards, J, Sheeran, TP and Price, T: Identification of risk factors for future fracture in patients following distal forearm fracture. Osteoporosis International. 14:757-760, 2003.

53. Naganathan, V, MacGregor, A, Snieder, H, Nguyen, T, Spector, T and Sambrook, P: Gender differences in the genetic factors responsible for variation in bone density and ultrasound. Journal of Bone and Mineral Research. 17:725-733, 2002.

54. Naganathan, V, March, L, Hunter, D, Pocock, NA, Markovey J and Sambrook, PN: Quantitative heel ultrasound as a predictor for osteoporosis. Medical Journal of Australia. 171:297-300, 1999.

55. Naganathan, V, Zochling, J, March, L and Sambrook, PN: Peak bone mass is increased in the hip in daughters of women with osteoarthritis. Bone. 30:287-292, 2002.

56. Nguyen TV and Eisman, JA: Genotype-sex interactions in the determination of bone mineral density and quantitative ultrasound measurements. Journal of Vietnamese Medicine. 1:8-19, 2001.

57. Njeh, CF, Hans, D, Li, J, Fan, B, Fuerst, T, He, YQ, Tsuda-Futami, E, Lu, Y, Wu, CY and Genant, HK: Comparison of six calcaneal quantitative ultrasound devices: Precision and hip fracture discrimination. Osteoporosis International. 11:1051-1062, 2000.

58. Njeh, CF, Kuo, CW, Langton, CM, Atrah, HI and Boivin, CM: Prediction of human femoral bone strength using ultrasound velocity and BMD: An in vitro study. Osteoporosis International. 7:471-477, 1997.

59. Njeh, CF and Langton, CM: The effect of cortical endplates on ultrasound velocity through the calcaneus: An in vitro study. British Journal of Radiology. 70:504-510, 1997.

60. Nurmi-Lawton, JA, Baxter-Jones, AD, Mirwald, RL, Bishop, JA, Taylor, P, Cooper, C and New, SA: Evidences of sustained skeletal benefits from impact-loading exercise in young females: A 3-year longitundinal study. Journal of Bone and Mineral Research. 19:314-322, 2004.

61. Ohishi, T, Kushida, K, Yamazaki, K, Naitoh, K and Nagano, A: Ultrasound measurement using CUBA Clinical System can discriminate between women with and without vertebral fractures. Journal of Clinical Densitometry. 3:227-231, 2000.

62. Pluijm, SMF, Dik, MG, Jonker, C, Deeg, DJH, Van Kamp, GJ and Lips, P: Effects of gender and age on the association of apolipoprotein E □ 4 with bone mineral density, bone turnover and the risk of fractures in older people. Osteoporosis International. 13:701-709, 2002.

63. Pluijm, SMF, Graafmans, WC, Bouter, LM and Lips, P: Ultrasound measurements for the prediction of osteoporotic fractures in elderly people. Osteoporosis International. 9:550-556, 1999.

64. Sambrook, PN, Chen, JS, March, LM, Cameron, ID, Cumming, RG, Lord, SR, Schwarz, J and Seibel, MJ: Serum parathyroid hormone is associated with increased mortality independent of 25-hydroxyvitamin D status, bone mass, and renal function in the frail and very old: A cohort study. Journal of Clinical Endocrinology and Metabolism. 89:5477-5481, 2004.

65. Sone, T, Imai, Y, Tomomitsu, T and Fukunaga, M: Calcaneus as a site for the assessment of bone mass. Bone. 22 S:155S-157S, 1998.

66. Stagi, S, Bindi, G, Galluzzi, F, Galli, L, Salti, R and de Martino, M: Changed bone status in human immunodeficiency virus type 1 (HIV-1) perinatally infected children is related to low serum free IGF-1. Clinical Endocrinology. 61:692-699, 2004.

67. Stewart, A, Black, A, Robins, SP and Reid, DM: Bone density and bone turnover in patients with osteoarthritis and osteoporosis. Journal of Rheumatology. 26:622-666, 1999.

68. Stewart, A, Porter, RW, Primrose, WR, Walker, LG and Reid, DM: Cervical and trochanteric hip fractures: Bone mass and other parameters. Clinical Rhuematology. 18:201-206, 1999.

69. Stewart, A and Reid, DM: Precision of quantitative ultrasound: Comparison of three commercial scanners. Bone. 27:139-143, 2000.

70. Stewart, A and Reid, DM: Quantitative ultrasound or clinical risk factors—which best identifies women at risk of osteoporosis? British Journal of Radiology. 73:165-171, 2000.

71. Stewart, A, Walker, LG, Porter, RW, Reid, DM and Primrose, WR: Predicting a second hip fracture—The potential role of dual x-ray absorptiometry, ultrasound, and other risk factors in targeting of preventive therapy. Journal of Clinical Densitometry. 2:363-370, 1999.

72. Stewart, AD, Stewart, A and Reid, DM: Correcting calf girth discrimates the incidence of falling but not bone mass by broadband ultrasound attenuation in elderly female subjects. Bone. 31:195-198, 2002.

73. Strelitzki, R, Clarke, AJ, Truscott, JG and Evans, JA: Ultrasonic measurement: An evaluation of three heel bone scanners compared with a bench-top system. Osteoporosis International. 6:471-479, 1996.

74. Strelitzki, R and Truscott, JG: An evaluation of the reproducibility and responsiveness of four 'State-of-the-Art' ultrasonic heel bone measurement systems using phantoms. Osteoporosis International. 8:104-109, 1998.

75. Taal, MW, Cassidy, MJD, Pearson, D, Green, D and Masud, T: Usefulness of quantitative heel ultrasound compared with dual-energy x-ray absorptiometry in determining bone mineral density in chronic haemodialysis patients. Nephrology, Dialysis and Transplantation. 14:1917-1921, 1999.

76. Te Velde, SJ, Twisk, JWR, van Mechelen, W and Kemper, HCG: Birth weight and musculoskeletal health in 36-year-old men and women: Results from the Amsterdam Growth and Health Longitudinal Study. Osteoporosis International. 15:382-388, 2004.

77. Tomkinson, A, Gibson, JH, Lunt, M, Harries, M and Reeve, J: Changes in bone mineral density in t hip and spine before, during, and after the menopause in elite runners. Osteoporosis International. 14:462-468, 2003.

78. Trivedi, DP, Doll, R, Khaw, KT: Effect of four monthly oral vitamin D_3 (cholecalciferol) supplementation on fractures and mortality in men and women living in the community: randomised double blind controlled trial. British Medical Journal. 326:469-474, 2003.

79. Tromp, AM, Smit, JH, Deeg, DJH and Lips, P: Quantitative ultrasound measurements of the tibia and calcaneus in comparison with DXA measurements at various skeletal sites. Osteoporosis International. 9:230-235, 1999.

80. Tuzun, S, Karacan, I, Akarirmak, U, Kasapcopur, O and Arisoy, N: Evaluation of bone with quantitative ultrasound in healthy Turkish children. Turkish Journal of Pediatrics. 45:240-244, 2003.

81. Van der Poest Clement, E, Van Engeland, M, Ader, H, Roos, JC, Patka, P and Lips, P: Alendronate in the prevention of bone loss after a fractures of the lower leg. Journal of Bone and Mineral Research. 17:2247-2255, 2002.

82. Warden, SJ, Bennell, KL, Matthews, B, Brown, DJ, McMeeken, JM and Wark, JD: Efficacy of low-intensity pulsed ultrasound in the prevention of osteoporosis following spinal cord injury. Bone. 29:431-436, 2001.

83. Warden, SJ, Bennell, KL, Matthews, B, Brown, DJ, McMeeken, JM and Wark, JD: Quantitative ultrasound assessment of acute bone loss following spinal cord injury: A longitudinal pilot study. Osteoporosis International. 13:586-592, 2002.

84. Welch, A, et al: Calcaneum broadband ultrasound attenuation relates to vegetarian and omnivorous diets differently in men and women: an observation from the European Prospective Investigation into Cancer in Norfolk (EPIC-Norfolk) population study. Osteoporosis International. 16:590-596, 2005.

85. Welch, A, Camus, J, Dalzell, N, Oakes, S, Reeve, J and Khaw, KT: Broadband ultrasound attenuation (BUA) of the heel bone and its correlates in men and women in the EPIC-Norfolk cohort: a cross-sectional population-based study. Osteoporosis International. 15:217-225, 2004.

86. Wilson, SG, Reed, PW, Andrew, T, Barber, MJ, Lindersson, M, Langdown, M, Thompson, D, Thompson, E, Bailey, M, Chiano, M, Kleyn, PW and Spector, TD: A genome-screen of a large twin cohort reveals linkage for quantitative ultrasound of the calcaneus to 2q33-37 and 4q12-21. Journal of Bone and Mineral Research. 19:270-277, 2004.

87. Zochling, J, Nguyen, TV, March, LM and Sambrook, PN: Quantitative ultrasound measurements of bone: Measurements error, discordance, and their effects on longitudinal studies. Osteoporosis International. 15:619-624, 2004

88. Zochling, J, Sitoh, YY, Lau, TC, Cameron, ID, Cumming, RG, Lord, SR, Schwarz, J, Trube, A, March, LM and Sambrook, PN: Quantitative ultrasound of the calcaneus and falls risk in the institutionalized elderly: Sex differences and relationship to vitamin D status. Osteoporosis International. 13:882-887, 2002.